


A man with a beard and safety glasses is holding a 1.00 MC wheel weight in his hand. The background is a blurred workshop.


plombco

WHEEL WEIGHTS

PLOMBCO.COM

INCLUDING



plasteel®



ABOUT PLOMBCO

Plombco is a brand of WEGMANN automotive that has developed the most innovative and comprehensive product lines in the industry. Plombco products are sold to OEM's and aftermarket customers across the Americas, Europe and Asia.

Plombco is also the maker of the patented Plasteel® premium wheel weights for passenger cars and light trucks. Engineered using forward thinking technology, Plasteel® is setting new standards for innovation in the industry.

TABLE OF CONTENTS

The Plombco Advantages.....	3
Adhesive Wheel Weights.....	4
Steel	7
Wheel Weight pre-cleaning	8
 Clip-on Wheel Weights	 9
Plasteel®	11
Steel	13
Zinc.....	14
Truck Wheel Weights	15
 Perfect Equipment	 16

THE PLOMBCO ADVANTAGES

CUSTOMER SERVICE

Our Customer Service team has over 30 years of experience in the wheel weight industry. We work closely with our customers year round to ensure that we are meeting all their needs. Our team is up for any challenge you may have.



FAST DELIVERY

We are proud to offer our customers a 99.9% fill rate on all orders and ship within 72 hours of purchase date.

CUSTOMER EXPERIENCE

Plombco is dedicated to improve customer experience. Our team is concerned every day to finding new solutions for quick & easy balancing. StickPro® wheel weight pre-cleaning wipes, developed by our team, help you achieve that goal every time.



QUALITY

With continuous improvement in mind, our team is making Plombco an ever-improving organization. We believe that people are the recipe for success and a prosperous future. That is the reason why we focus on continuous training to stay on top of the wheel weight market.

MARKETING SUPPORT MATERIAL

To help our clients market and sell our products we offer several tools such as product catalogs, application charts, flyers, rim gauges and product samples. These tools have been designed to contribute to the success of our distributors.




PLASTEEL®

The market is shifting towards lead-free alternatives, and we have listened to the feedback from our customers in the field. Important issues, such as the increased popularity of clad wheels on new vehicles, demonstrated that there is a need for a better alternative than steel or zinc. **Plombco has developed the first ever steel core wheel weight encased in a plastic shell.**

UNIQUE PACKAGING

Our unique and practical packaging is made of high-quality corrugated cardboard and can help you save space in your warehouse. Each case is designed to ship two, four or eight boxes of wheel weights (view page 13).



COATING

We have spent years developing a coating that is compliant with the most stringent automobile manufacturer's requirements. It protects against corrosion, resists discoloration from the sun and car-wash plus much more. In order to keep your car looking good, the color matches most wheels commonly used. **Plombco offers the same top quality finish on all of the coated products.**

ADHESIVE **WHEEL** **WEIGHTS**




CHOOSE AMONGST OUR WIDE SELECTION OF ADHESIVE WHEEL WEIGHTS TO FIT YOUR NEEDS

Plombco manufactures a wide range of adhesive wheel weights for standard vehicle categories, low-profile and truck wheels.

		SIZE OF THE SEGMENTS	COLOR		ADHESIVE		PROFILE		PACKAGING	
			Gray	Black	Standard	Cold Weather (CW)	Low-Profile	Narrow-Profile	Boxes	Rolls
StickPro® STEEL	200 Series	5 g	•	•	•	•	•		•	•
	300 Series	1/4 oz	•	•	•	•	•		•	•
	400 Series	1/2 oz	•	•	•	•			•	•
	500 Series	1 oz	•	•	•	•			•	

PLOMBCO'S NAMING SYSTEM FOR ADHESIVE WHEEL WEIGHTS



2 PACKAGING OPTIONS

Choose between adhesive rolls or 2 sizes of reclosable boxes in an easy-open master case.



New

Stopper to avoid wheel weights rolling back in the box.




New

Easy opening to quickly grab adhesive boxes.

2 ADHESIVE TAPE OPTIONS

Mechanics expect quick and easy balancing every time. Wherever you are located in the world, Plombco has the right type of adhesive to fit your needs. Even the coldest countries can benefit from the advantages of Plombco's adhesive wheel weights. **2 types of adhesive are offered to cover all applications.** Plombco Standard and CW adhesive tapes are made in compliance with Pressure Sensitive Tape Council (PSTC) standards.

Standard	Cold Weather (CW)
For general purpose	Exceptional adherence in cold temperatures, as low as 15°F (-10°C)
White foam carrier	Gray foam carrier
Widely used in North America	Widely used in the colder countries




COLD WEATHER (CW)

Cold Weather Tape maintains an optimal bonding power at low temperatures, so you save time and money by eliminating the need to heat the wheel in temperatures below 40°F.

HOW IT WORKS



STANDARD



Standard open cell foam may hold moisture.

COLD WEATHER



Cold weather closed cell foam does not.

VISIT PLOMBCO.COM FOR MORE INFORMATION ON THE STICKPRO® PRODUCT LINE.





STEEL ADHESIVE WHEEL WEIGHTS

STICKPRO® 200 SERIES - POLYESTER COATED

5 G SEGMENTS

PREMIUM LOW-PROFILE FOR EASY CONTOURING | WIDTH 3/4 IN | LENGTH 5 1/4 IN | HEIGHT 5/32 IN

SILVER-GRAY



ADHESIVE

52-STRIPS/BOX
12 SEG/STRIP

Standard

212FeS-52

BLACK



ADHESIVE

30-STRIPS/BOX
12 SEG/STRIP

CW

212FeB-30CW

STICKPRO® 300 SERIES

0.25 OZ SEGMENTS

LOW-PROFILE FOR EVERYDAY APPLICATION | WIDTH 3/4 IN | LENGTH 7 1/4 IN | HEIGHT 5/32 IN



ADHESIVE

52-STRIPS/BOX
12 SEG/STRIP

30-STRIPS/BOX
12 SEG/STRIP

20 LB ROLL
1280 SEG

10 LB ROLL
640 SEG

Standard

312Fe-52

312Fe-30

320Fe

310Fe

CW

312Fe-52CW

312Fe-30CW

320Fe-CW

310Fe-CW

STICKPRO® 400 SERIES

0.5 OZ SEGMENTS

FOR EVERYDAY APPLICATION | WIDTH 3/4 IN | LENGTH 7 1/4 IN | HEIGHT 3/16 IN



ADHESIVE

48-STRIPS/BOX
8 SEG/STRIP

28-STRIPS/BOX
8 SEG/STRIP

20 LB ROLL
640 SEG

10 LB ROLL
320 SEG

Standard

408Fe-48

408Fe-28

420Fe

410Fe

CW

408Fe-48CW

408Fe-28CW

420Fe-CW

410Fe-CW

STICKPRO® 500 SERIES

1 OZ SEGMENTS

FOR TRUCK APPLICATION | WIDTH 1 1/4 IN | LENGTH 6 3/4 IN | HEIGHT 5/32 IN



ADHESIVE

15-STRIPS/BOX
6 SEG/STRIP

Standard

506Fe-15

CW

506Fe-15CW

THE TIRE PROFESSIONAL'S CHOICE

HAVING A CLEAN WHEEL IS THE KEY TO SUCCESS FOR QUICK & EASY BALANCING



HEAVY-DUTY
PRE-SOAKED TOWELS



DESIGNED FOR
ADHESIVE WEIGHTS



FAST AND
EFFICIENT



CLEANS 200+
WHEELS



NO RINSE
SURFACE PREP



EASY TO
USE

YOUR NEW GO-TO PARTNER IN WHEEL WEIGHT PRE-CLEANING

Most of the time, mechanics do not wipe the wheels with a clean soft cloth prior to wheel balancing, resulting in adhesive weights falling off the wheels. For quick & easy balancing, having a clean wheel is the key to success and StickPro® wheel weight pre-cleaning wipes help you achieve that goal every time.

In addition to improving adhesive wheel weight adherence, StickPro® wheel weight pre-cleaning wipes easily cleans the rims and removes brake dust & grease without the need for any use of water. It is suitable for alloy, steel, aluminum, chrome or varnished wheels and even works on plastic wheel covers, when used as directed.




Part number: 44012



ALSO AVAILABLE:
STICKPRO® WHEEL CLEANER

Part number: 44011

VISIT [STICKPROWIPES.COM](https://stickprowipes.com) TO VIEW THE
INSTALLATION INSTRUCTIONS AND NEW VIDEO.

A close-up photograph of a person's hand attaching a clip-on wheel weight to a silver alloy wheel. The weight is a small metal clip with a black plastic base, featuring the text '24.00' and 'MC9'. The wheel has a multi-spoke design, and a black tire is visible in the background. The text 'CLIP-ON WHEEL WEIGHTS' is overlaid on the right side of the image.

CLIP-ON WHEEL WEIGHTS

PLOMBCO IS THE ONLY WHEEL WEIGHT MANUFACTURER TO OFFER 3 DIFFERENT PRODUCT LINES GIVING YOU ALL THE LATITUDE YOU NEED TO FULFILL YOUR SPECIFIC NEEDS.

In addition, Plasteel® is a patented product that is available only from Plombco. To help our customers select the right wheel weight, color coding is used on our labels, kits, application charts and gauges.

THREE DIFFERENT MATERIALS

You may refer to our application chart or rim gauge to select the right style of passenger car wheel weight that fits your application.

STYLE	APPLICATION	PLASTEEL® (PS)	STEEL (Fe)	ZINC (Z)	
P/REG	UNIVERSAL FOR STEEL WHEELS	PPS New	PFe	REGZ	
MC	MOST NORTH AMERICAN	MCPS	MCFe	MCZS	
IAW	SOME EUROPEAN AND ASIAN	IAWPS	IAWFe	IAWZS	
FN	MOST ASIAN	FNPS	FNFe	FNZS	
EN	MERCEDES, VW & AUDI	ENPS	ENFe	ENZS	
T	PICK-UPS WITH STEEL RIMS	TPS	TFe	TZS	
LH	OLDER CHRYSLER	-	LHFe	LHZS	
AW	UNIVERSAL FOR ALLOY WHEELS	AWPS	AWFe	AWZS	

PRACTICAL PACKAGING

Our unique and practical packaging is made of high-quality corrugated cardboard and can help you save space in your warehouse. Each case is designed to ship two, four or eight boxes of wheel weights.



2 BOXES PER CASE



4 BOXES PER CASE



8 BOXES PER CASE

plasteel®

A WORLD PREMIER

The market is shifting towards lead-free alternatives, and we have listened to the feedback from our customers in the field. Important issues, such as the increased popularity of clad wheels on new vehicles, demonstrated that there is a need for a better alternative than steel or zinc. **Plasteel® is a world first - a steel core wheel weight encased in a plastic outer shell. Engineered using forward thinking technology, Plasteel® is setting new standards for innovation in the industry.**



PLASTIC
FOR SOFTNESS

STEEL
FOR STRENGTH



COMPACT
DESIGN



CORROSION
RESISTANT



EASY
INSTALLATION



HYBRID-LOCK™
DESIGN



INTENTIONALLY
ENGINEERED



PRECISION
FIT



RECYCLABLE
MATERIAL



SCRATCHLESS



TECH
CERTIFIED



ALUMI-FLAKE™
METALLIC MATERIAL

TESTED. PROVEN. TRUSTED.

HYBRID-LOCK™
PLASTIC + STEEL BODY

HARDENED
STEEL CLIP

NEW
CURVED
APPEARANCE

NEW
ALUMI-FLAKE™
METALLIC MATERIAL



PPS

New

1/4 oz to 2 oz & 10 g to 45 g

Used on passenger vehicles, full size pickups and vans with steel wheels

Note: For applications on full size pickups and vans, we recommend the use of our TPS or TFe series for light truck weights. Use of PFe weights may cause overstressing of the clip resulting in failures.

MCPS

1/4 oz to 3 oz

Used on most North American vehicles with alloy wheels

IAWPS

5 g to 60 g

Used on some European and some Asian vehicles with alloy wheels

FNPS

5 g to 60 g

Used on most Japanese vehicles with alloy wheels

ENPS

5 g to 60 g

Used on Mercedes, Audi and Volkswagen. Also used on many aftermarket alloy wheels with thin rim flanges

TPS

1/4 oz to 3 oz

Used on some light trucks and SUV's with alloy or steel wheels

AWPS

1/4 oz to 3 oz

Used on most domestic vehicles prior to 1995 with alloy wheels

VISIT PLASTEELWHEELWEIGHTS.COM FOR
MORE INFORMATION ON THE PLASTEEL® PRODUCT LINE.



STEEL WHEEL WEIGHTS

PFe

1/4 oz to 3 oz
Coated only



Used on passenger vehicles, full size pickups and vans with steel wheels

Note: For applications on full size pickups and vans, we recommend the use of our TPS or TFe series for light truck weights. Use of PFe weights may cause overstressing of the clip resulting in failures.

MCFe

1/4 oz to 3 oz
Coated only



Used on most North American vehicles with alloy wheels

IAWFe

5 g to 60 g
Coated only



Used on some European and some Asian vehicles with alloy wheels

FNFe

5 g to 60 g
Coated only



Used on most Japanese vehicles with alloy wheels

ENFe

5 g to 60 g
Coated only



Used on Mercedes, Audi and Volkswagen. Also used on many aftermarket alloy wheels with thin rim flanges

TFe

1/4 oz to 3 oz
Coated only



Used on some light trucks and SUV's with alloy or steel wheels

LHFe

1/4 oz to 3 oz
Coated only



Used on older Chrysler vehicles with alloy wheels

AWFe

1/4 oz to 3 oz
Coated only




Used on most domestic vehicles prior to 1995 with alloy wheels

30
Zn
65.38

ZINC WHEEL WEIGHTS

REGZ

1/4 oz to 3 oz
Coated and uncoated



Used on passenger vehicles with alloy or steel wheels. All sizes 3/4 oz and larger feature a 1" wide "V" clip for superior retention strength.

Note: For applications on full size pickups and vans, we recommend the use of our TZS series for light truck weights. Use of REGZ weights may cause overstressing of the clip resulting in failures.

MCZS

1/4 oz to 3 oz
Coated only



Used on most North American vehicles with alloy wheels

IAWZS

5 g to 60 g
Coated only



Used on some European and some Asian vehicles with alloy wheels

FNZS

5 g to 60 g
Coated only



Used on most Japanese vehicles with alloy wheels

ENZS

5 g to 60 g
Coated only



Used on Mercedes, Audi and Volkswagen. Also used on many aftermarket alloy wheels with thin rim flanges

TZS

1/4 oz to 3 oz
Coated only



Used on some light trucks and SUV's with steel or aluminum wheels

LHZS

1/4 oz to 3 oz
Coated only



Used on older Chrysler vehicles with alloy wheels

AWZS

1/4 oz to 3 oz
Coated only



Used on most domestic vehicles prior to 1995 with alloy wheels

TRUCK WHEEL WEIGHTS

³⁰
Zn
65.38

ZINC

CTZ

2 oz to 6 oz
Uncoated only



Available in 2, 3, 4, 5 & 6 oz sizes. Used on heavy trucks with steel rims, straight rim flanges

I7Z

1 oz to 8 oz
Uncoated only



Available in 1, 2, 3, 4, 5 & 6 oz sizes. Used on heavy trucks with steel wheels

LT1Z

1/2 oz to 5 oz
Uncoated only



Available in 0.50, 1, 1.50, 2, 2.50, 3, 3.50, 4, 4.50, 5 oz sizes. Used on 3/4 and 1-ton light trucks with steel wheels

TALZS

2 oz to 6 oz
Coated only



Available in 2, 3, 4, 5 & 6 oz sizes. Used on heavy trucks with alloy wheels. Single weight fits both sides of the wheel



WHEEL BALANCE WEIGHT STORAGE SOLUTIONS



DURHAM MFG®
Est. 1922



Our wheel balance weight storage solutions are constructed of pre-welded, cold-rolled steel and manufactured by a leading expert in storage construction, Durham Manufacturing. Premium powder coated with a gloss grey finish and shipped ready to install, these racks can survive the harshest of shop environments.

SKU: WALLRACK20

- 32 bin openings (4 up, 8 across)
- Each bin holds up to 50 weights each
- Mounts to wall using bolts into studs or block
- Dimensions: 34" wide x 8.5" deep x 19.25" tall
- 32 lbs. total weight
- Header card and label pack (SKU: LBLUNI) included
- Label pack includes all standard passenger car and light truck labels, as well as commercial truck labels, to allow you to customize the rack however you wish



SKU: FLOORRACK21

- 40 standard size bin openings (5 up, 8 across)
- Each standard bin holds up to 50 weights each
- 8 oversize bin openings (2 up, 4 across)
- Each oversize bin holds complete boxes of weights
- 12" Feet Kit raises rack for underneath storage
- Can be utilized without feet for smaller areas
- Rack **MUST** be wall anchored for protection
- Dimensions: 34" wide x 12" deep x 57" tall (with feet)
- 79 lbs. total weight (including feet)
- Header card and label pack (SKU: LBLUNI) included
- Label pack includes all standard passenger car and light truck labels, as well as commercial truck labels, to allow you to customize the rack however you wish





66, EDMOND STREET, VALLEYFIELD, QUÉBEC, J6S 3E8, CANADA

 +1-800-611-7074

+1-450-371-8800

 +1-450-371-1648

PLOMBCO.COM

PLOMBCO IS A BRAND OF



#45011 - Plombco Product Catalog

All contents © copyright, WEGMANN automotive. All rights reserved.