

Safety Data Sheet

StickPro Wheel Cleaner

SECTION 1. IDENTIFICATION

Product Identifier	StickPro Wheel Cleaner
Other Identification	44012
Recommended Use	Cleaning automotive rims.
Restrictions on Use	All other uses than those indicated on the product label and technical data sheet.
Supplier	PLOMBCO INC. , 66 rue Edmond, Valleyfield, Qc, J6S 3E8, (450) 371-8800 Quebec Poison
Emergency Phone No.	Control Centre (24 hours service) Quebec, (800) 463-5060 (no charge) All other places, (418) 656-8090 CANUTEC, (613) 996-6666 (collect)

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable liquid - Category 2; Eye irritation - Category 2; Specific target organ toxicity (single exposure) - Category 3

Label Elements



Signal Word:
Danger

Hazard Statement(s):

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary Statement(s):

Prevention:

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P280	Wear protective gloves/eye protection/face protection.
P264	Wash hands and skin thoroughly after handling.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice or attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE or doctor if you feel unwell.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

Not applicable.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Propanol-2	67-63-0	10 - 30%	Information not available	Information not available
Dimethyl Carbonate	616-38-6	10 - 30%	Information not available	Information not available
Propylene glycol methyl ether	107-98-2	10 - 30%	Information not available	Information not available

Notes

Concentrations are expressed in % weight/weight.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. If experiencing respiratory symptoms (e.g. coughing, shortness of breath, wheezing), call a Poison Centre or doctor.

Skin Contact

Rinse with lukewarm, gently flowing water for 5 minutes. Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). If skin irritation or a rash occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

Ingestion

Rinse mouth with water. Immediately call a Poison Centre or doctor. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting.

Most Important Symptoms and Effects, Acute and Delayed

Cause serious eye irritation.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Product Identifier: StickPro Wheel Cleaner - Ver. 2

Date of Preparation: mai 26, 2025

Date of Last Revision:

Use extinguishing agent suitable for surrounding fire. CO2, extinguishing powder or water spray.

Unsuitable Extinguishing Media

Not applicable.

Specific Hazards Arising from the Product

Isopropyl alcohol vapours are heavier than air and can travel a long distance to an ignition source and cause flashback.

Special Protective Equipment and Precautions for Fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Take no action involving any personal risk or without suitable training. Do not touch or walk through spilled material. Eliminate all ignition sources if safe to do so. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Remove or isolate incompatible materials as well as other hazardous materials.

Environmental Precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and Materials for Containment and Cleaning Up

Stop leak if there is no risk. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate container for disposal.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Use in well ventilated areas. Do not get in eyes or on skin. Avoid inhalation of vapours. Wash thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Conditions for Safe Storage

Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10). Keep container tightly closed when not in use. Opened containers must be carefully resealed and kept upright to prevent leakage. Use appropriate container to avoid environmental contamination. Do not store in unlabeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Propylene glycol methyl ether	50 ppm	100 ppm	Not established	Not established	Not established	Not established
Propanol-2	200	400	Not established	Not established	Not established	Not established

Appropriate Engineering Controls

The purpose of the Health and Safety Act is to eliminate hazards at the source. Where engineering controls and changes in working procedures are not sufficient to reduce exposure to this substance, the use of personal protective equipment may be necessary. These protective equipment must comply with the regulations.

Product Identifier: StickPro Wheel Cleaner - Ver. 2

Date of Preparation: mai 26, 2025

Date of Last Revision:

Individual Protection Measures

Eye/Face Protection

Wear eye protection if splashing is likely. The selection of an eye protector depends on the nature of the work to be performed and, if applicable, on the type of respirator used.

Skin Protection

Wear skin protective equipment. The selection of such equipment depends on the nature of the work to be performed.

Respiratory Protection

Wear appropriate respirator when ventilation is inadequate.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Transparent colourless liquid.
Odour	Specific to the ingredients
Odour Threshold	Not available
pH	Not applicable
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Boiling Range	Not available
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	0.9 - 1.0
Solubility	Very soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not available (kinematic); Not available (dynamic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Under normal conditions of storage and use, hazardous reactions will not occur.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Keep away from direct sunlight, excessive heat, open flame, sparks, and other sources of ignition and oxidizing materials. Do not use in areas without adequate ventilation.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid), acids.

Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Skin contact; inhalation; eye contact.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Propylene glycol methyl ether	19843 ppm (guinea pig) (4-hour exposure)	4016 mg/kg (guinea pig)	13000 mg/kg (rabbit)
Propanol-2	72.6 mg/L (rat) (4-hour exposure)	7990 mg/kg (rabbit)	12874 mg/kg (rabbit)
Dimethyl Carbonate	> 140 mg/L (rat) (4-hour exposure)	6000 mg/kg (mouse)	> 5000 mg/kg (rabbit)

Skin Corrosion/Irritation

May cause minor irritation to skin.

Serious Eye Damage/Irritation

Causes serious eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

Inhalation of dust, airborne droplets or aerosols may cause irritation of the respiratory tract.

Skin Absorption

No known significant effects or critical hazards.

Ingestion

May irritate the mouth, throat and stomach. May cause headache, abdominal pain, diarrhea, nausea and vomiting.

Respiratory and/or Skin Sensitization

Not a respiratory sensitizer. Not a skin sensitizer.

Carcinogenicity

Not known to cause cancer.

Reproductive Toxicity

Development of Offspring

No data on teratogenic effects have been found.

Sexual Function and Fertility

No data on reproductive effects have been found.

Germ Cell Mutagenicity

Not known to be a mutagen.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No known significant effects or critical hazards.

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Product Identifier: StickPro Wheel Cleaner - Ver. 2

Date of Preparation: mai 26, 2025

Date of Last Revision:

Page 05 of 06

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

It is important to minimize or avoid the generation of waste wherever possible. Disposal of this product and solutions must always respect the provisions of the law on environmental protection and waste disposal and must remain in compliance with the requirements of local laws and regulations. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult local or regional authorities.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN1993	FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, DIMETHYL CARBONATE)	3	II

Special Precautions Please note: Limited quantity in 1L or less

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

SECTION 16. OTHER INFORMATION

Date of Preparation mai 26, 2025

Disclaimer Notice to reader and user : The information contained in this document is accurate to the best of our knowledge. however, the above named supplier assumes any liability whatsoever with respect to the accuracy of the informatoin contained in this document. The finl determination ond suitability of any material or product is the sole responsibility of the user. All materials may pose risk and should be used whith caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist .

Product Identifier: StickPro Wheel Cleaner - Ver. 2

Date of Preparation: mai 26, 2025

Date of Last Revision:

Page 06 of 06